



# SAFETY DATA SHEET

Issuing Date 17-Dec-2014

Revision Date 17-Dec-2014

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

**Product Name** SCC750005/ SCC750005H/ SCC750055/ SCC750055H/ SCC750330/ SCC750330H

### Other means of identification

**Synonyms** PRODUCT IDENTIFIER SDS-080

### Recommended use of the chemical and restrictions on use

**Recommended Use** Process fluid for honing machines

**Uses advised against** No information available

### Supplier's details

#### **Supplier Address**

Sunnen Products  
7910 Manchester Road  
Saint Louis, MO 63143  
314-781-2100  
Website: www.sunnen.com

### Emergency telephone number

**Emergency Telephone Number** 1 (314) 781-2100 8 a. m. - 3 p.m. C.S.T (US)  
Email: SDS@sunnen.com

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitization	Category 1
--------------------	------------

### GHS Label elements, including precautionary statements

#### Emergency Overview

#### Signal Word

#### Warning

#### Hazard Statements

- May cause an allergic skin reaction



<b>Appearance</b> Turquoise	<b>Physical State</b> Liquid.	<b>Odor</b> No information available
-----------------------------	-------------------------------	--------------------------------------

**Precautionary Statements****Prevention**

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves.

**General Advice**

- None

**Skin**

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

**Storage**

- None

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

20% of the mixture consists of ingredient(s) of unknown toxicity.

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Synonyms**

PRODUCT IDENTIFIER SDS080

Chemical Name	CAS-No	Weight %	Trade secret
2-Amino-2-methyl-1-propanol	124-68-5	1-5	*
Triethanolamine	102-71-6	1-5	*
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	4719-04-4	1-5	*
p-Nitrobenzoic acid	62-23-7	0.1-1.0	*

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

**4. FIRST AID MEASURES****Description of necessary first-aid measures****Eye Contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately if irritation persists.

**Skin Contact**

Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Remove and wash contaminated clothing before re-use.

**Inhalation**

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

**Ingestion**

Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

**Protection of First-aiders**

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**Most important symptoms/effects, acute and delayed****Most Important Symptoms/Effects** Itching, Rashes.**Indication of immediate medical attention and special treatment needed, if necessary****Notes to Physician** Treat symptomatically.**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** None**Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

**Explosion Data****Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** None.**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal Precautions** Use personal protective equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.**Environmental Precautions****Environmental Precautions** Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.**Methods and materials for containment and cleaning up****Methods for Containment** Dike far ahead of liquid spill for later disposal.**Methods for Cleaning Up** Dam up. Soak up with inert absorbent material. Clean up promptly by sweeping or vacuum.**7. HANDLING AND STORAGE****Precautions for safe handling****Handling** Use only in ventilated areas. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid wearing clothing soaked with fluid. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.**Conditions for safe storage, including any incompatibilities****Storage** Keep container tightly closed.**Incompatible Products** Strong oxidizing agents.**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102-71-6	TWA: 5 mg/m <sup>3</sup>	-	-

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

### Appropriate engineering controls

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location. Local ventilation is required. Do not operate honing machine in an unventilated area. Use local ventilation if strong odors or oil mist is detected.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.  
**Skin and Body Protection** Wear protective gloves/clothing.  
**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Provide regular cleaning of equipment, work area and clothing. Wash hands before eating, drinking or smoking. Remove and wash contaminated clothing before re-use. Avoid contact with open cuts or sores.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	<b>Appearance</b>	Turquoise
<b>Odor</b>	No information available	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
<b>pH</b>	9.6 (10% MIX) 9.6	None known
<b>Melting Point/Range</b>	Not applicable	None known
<b>Boiling Point/Boiling Range</b>	100 °C	None known
<b>Flash Point</b>	Not applicable.	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limits in Air</b>		
upper flammability limit	No data available	
lower flammability limit	No data available	
<b>Vapor Pressure</b>	No data available	None known
<b>Vapor Density</b>	No data available	None known
<b>Specific Gravity</b>	1.05 @ 40C	None known
<b>Water Solubility</b>	Completely soluble	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition Temperature</b>	No data available	None known
<b>Decomposition Temperature</b>	No data available	None known
<b>Viscosity</b>	2.5 cSt @ 100F	None known

**Flammable Properties** Not flammable

**Explosive Properties** No data available

**Oxidizing Properties** No data available

### Other information

**VOC Content (%)** 113 Gm/L ASTM E1868-10

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

Strong oxidizing agents.

### Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

##### **Inhalation**

##### **Eye Contact**

##### **Skin Contact**

##### **Ingestion**

No acute toxicity information is available for this product.

None under normal use conditions

Coolant may contain small metal filings which may cause mechanical irritation.

Non-irritating during normal use. May cause sensitization by skin contact.

None under normal use conditions.

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Amino-2-methyl-1-propanol	2900 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
Triethanolamine	= 4190 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit ) > 16 mL/kg ( Rat )	-
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	= 763 mg/kg ( Rat )	-	-
p-Nitrobenzoic acid	= 1960 mg/kg ( Rat )	= 200 mg/kg ( Rabbit )	-

### Symptoms related to the physical, chemical and toxicological characteristics

#### **Symptoms**

rash

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Sensitization**

May cause sensitization by skin contact.

#### **Mutagenic Effects**

No information available.

#### **Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine		Group 3		

**IARC: (International Agency for Research on Cancer)**  
Group 3 - Not Classifiable as to its Carcinogenicity to Humans

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration Hazard** No information available.

**Numerical measures of toxicity - Product**

**Acute Toxicity** 20% of the mixture consists of ingredient(s) of unknown toxicity.

*The following values are calculated based on chapter 3.1 of the GHS document:*

**LD50 Oral** 12541 mg/kg; Acute toxicity estimate

**LD50 Dermal** 55235 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
2-Amino-2-methyl-1-propano l 124-68-5	EC50 72 h: = 520 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 190 mg/L static (Lepomis macrochirus)		EC50 48 h: = 193 mg/L (Daphnia magna)
Triethanolamine 102-71-6	EC50 72 h: = 216 mg/L (Desmodesmus subspicatus) EC50 96 h: = 169 mg/L (Desmodesmus subspicatus)	LC50 96 h: 10600 - 13000 mg/L flow-through (Pimephales promelas) LC50 96 h: > 1000 mg/L static (Pimephales promelas) LC50 96 h: 450 - 1000 mg/L static (Lepomis macrochirus)	EC50 > 10000 mg/L 30 min	EC50 24 h: = 1386 mg/L (Daphnia magna)
Hexahydro-1,3,5-tris(2-hydro xyethyl)-S-triazine 4719-04-4	-	-	EC50 = 28.9 mg/L 15 min	-
p-Nitrobenzoic acid 62-23-7		LC50 96 h: > 500 mg/L (Brachydanio rerio)	EC50 = 16.625 mg/L 48 h	

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Triethanolamine	-2.53
p-Nitrobenzoic acid	1.89

**Other Adverse Effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulatedMEX Not regulated**15. REGULATORY INFORMATION****International Inventories****TSCA** Complies**Legend****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Ethylbenzene	100-41-4	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
2-Amino-2-methyl-1-propano I	X	X	X		
Triethanolamine	X	X	X		X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards - Personal Protection X
<b><u>HMIS</u></b>	Health Hazard 2*	Flammability 0	Physical Hazard 0	

---

*\*Indicates a chronic health hazard.*

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 17-Dec-2014  
**Revision Date** 17-Dec-2014  
**Revision Note** Initial Release.

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**